



Product  
Brief



Intel® Extreme Graphics

## Intel® Desktop Boards D845GRG and D845GBV

for the Intel® Pentium® 4 Processor in the mPGA478-pin package

### **A Versatile Solution Featuring Cutting Edge Technology**

The Intel® Desktop Boards D845GRG and D845GBV expand the Intel® Pentium® 4 processor-based platform family of boards to include integrated graphics. Featuring the Intel® 845G chipset, these desktop boards deliver cutting-edge technology and versatility to meet the needs of today's computing environment.

As an industry leader, Intel continues its tradition of delivering innovative desktop board technologies with Intel Desktop Boards D845GRG and D845GBV.

Platform enhancements include:

- **Intel® Extreme Graphics with 48MB Dynamic Memory**—Next generation integrated graphics provides enhanced visual effects
- **Supports the Pentium 4 processor in the mPGA478-pin package, including the 533-MHz system bus**—greater bandwidth for the high-performance processor
- **Designed to support up to 2GB\*\* DDR266 SDRAM memory**—double the bandwidth of PC133 SDRAM memory
- **Integrated Hi-Speed USB 2.0 technology\*\*\***—up to 40 times the performance of USB 1.1
- **Intel® Active Monitor**—monitors system temperatures, power supply voltages, and fan speeds
- **Intel® Rapid BIOS Boot**—accelerates Power on Self Test (POST) for faster system access
- **Instantly Available PC (suspend-to-RAM)**—enables advanced power saving features



### Cutting Edge Features in a Flexible and Cost-Effective Integrated Graphics Platform

With Intel Desktop Boards D845GRG and D845GBV, system integrators can now design and build flexible, cost-effective solutions that span multiple market segments.

Desktop Boards D845GRG and D845GBV each offer the choice between using integrated Intel® Extreme Graphics or a high-end AGP add-in card. Intel Extreme Graphics is the perfect solution for business applications and delivers performance for the home and small office user. While integrated Intel Extreme Graphics offers a low-cost, high-performance graphics solution, the AGP slot enables those requiring ultra high frame rates and graphics clarity to add a high-end graphics card. In addition, AGP Digital Display (ADD) cards allow display flexibility by offering Digital Video Out (DVO) circuitry or TV-out encoders.

Hi-Speed USB 2.0 allows the use of multiple high-bandwidth peripherals ranging from PC cameras to portable storage devices. With 40 times the performance of USB 1.1, users can burn CDs six times faster, backup data 11 times faster, and watch full-motion DVD video at TV quality. Hi-Speed USB 2.0 allows users to make a seamless transition to higher-speed technologies with full plug-and-play capability and complete backwards compatibility. The ease-of-use of this technology provides greater customer satisfaction.

Desktop Boards D845GRG and D845GBV support Pentium 4 processors including both 533-MHz and 400-MHz system bus in the mPGA478-pin package. This presents the opportunity to offer Intel's highest performance processor with an integrated graphics solution. Three PCI slots on Desktop Board D845GRG (MicroATX) and six PCI slots on Desktop Board D845GBV (ATX) allow you to expand the capabilities of these boards and an AGP slot enables customized graphics solutions. Analog Devices\* SoundMAX\* with SPX\*\*\* audio delivers exceptional sound and the flexibility to

upgrade to multi-channel playback using CNR cards when desired. User satisfaction and system performance are further enhanced through Intel® Rapid BIOS Boot, Ultra ATA/100 disk support, and up to six Hi-Speed USB 2.0 ports.

### Enhanced Ease of Integration

Once again, Intel is leading the way by improving ease of integration. The new Intel® Express Installer 3.0 delivers an improved look and feel and the ability to check for and automatically download the latest drivers. Intel® Express Installer 3.0 automates driver installation which helps save the integrator time and money. Key system integration components including IDE and floppy cables, back panel I/O shield, and configuration labels are also provided with boxed Intel® desktop boards. A three-year limited warranty and comprehensive support for boxed Intel® desktop boards provides industry-leading investment protection.

### Value-add Software Solutions

With the digital revolution in full swing, demands on today's PC continue to increase. The PC not only needs to handle basic computing functions, it also needs to provide Web access, Internet communication, and process complex and advanced digital applications. To handle these challenges, boxed Intel desktop boards provide software applications that really add value to your system, including Norton\* Internet Security\* for virus protection and Internet security, RealOne\* with DFX\* for streaming media, NTI CD-Maker\* for CD creation, and MacroMedia\* Shockwave\* for high performance internet 3D graphics.

### Complete Solutions in the Box

Intel® desktop boards based on the Intel® 845G chipset deliver competitive price points and the option of two form factors. These desktop solutions include integrated Intel® Extreme Graphics with 48MB Dynamic Memory, AC'97 Audio, up to six Hi-Speed USB 2.0 ports\*\*\*, and the option of integrated LAN or CNR. The following Intel desktop board configurations feature the Intel 845G chipset with support for DDR200/266 SDRAM memory:

<b>Intel® Desktop Board D845GRG</b>	MicroATX, Intel® Extreme Graphics, 1.5V 4X AGP connector, AC'97 audio, 3-PCI slots, CNR, and up to 6 Hi-Speed USB 2.0 ports
<b>Intel® Desktop Board D845GRGL</b>	MicroATX, Intel® Extreme Graphics, 1.5V 4X AGP connector, AC'97 audio, 3-PCI slots, LAN, and up to 6 Hi-Speed USB 2.0 ports
<b>Intel® Desktop Board D845GBV</b>	ATX, Intel® Extreme Graphics, 1.5V 4X AGP connector, AC'97 audio, 6-PCI slots, CNR, and up to 6 Hi-Speed USB 2.0 ports
<b>Intel® Desktop Board D845GBVL</b>	ATX, Intel® Extreme Graphics, 1.5V 4X AGP connector, AC'97 audio, 6-PCI slots, LAN, and up to 6 Hi-Speed USB 2.0 ports

**Boxed Intel® Desktop Boards D845GRG, D845GBV**  
**Solution includes:**

- Desktop Board
- ATX compliant I/O shield
- Floppy and IDE cables
- Board and back panel I/O layout stickers
- Quick Start Guide
- Intel® Express Installer CD, including:
  - Norton\* Internet Security\*
  - Intel® Active Monitor
  - SoundMAX\* with SPX\*\*\*
  - RealOne\* with DFX\*
  - NTI CD-Maker\*
  - MacroMedia\* Shockwave\*
  - Software Drivers
  - Product Guide
  - Desktop Board Three-year Limited Warranty



**Features**

**Support for the Intel® Pentium® 4 Processor with mPGA478-pin package**

**Intel® 845G chipset featuring Intel® Extreme Graphics with 48MB Dynamic Memory and AGP 4X/2X 1.5V connector**

**Intel® Rapid BIOS Boot**

**Two DDR SDRAM DIMM sockets**

**Ultra ATA/100**

**Three PCI slots (Desktop Board D845GRG) or six PCI slots (Desktop Board D845GBV)**

**Six Hi-Speed USB 2.0 ports\*\*\***

**Communication and Networking Riser (CNR) support (optional)**

**Integrated Intel® PRO/100 network connection (optional)**

**AC'97 Audio with SoundMAX\* with SPX\*\*\* and microphone pre-amplifier**

**Instantly available PC (suspend-to-RAM)**

**Hardware management ASIC**

**Three-year limited warranty**

**Benefits**

Supports Pentium 4 processors in the mPGA478-pin package and Intel® NetBurst™ microarchitecture, including 533-MHz and 400-MHz system bus

Provides low cost, high quality integrated graphics with the flexibility to upgrade via a high-end AGP graphics card.

Reduced boot time enables faster system access

Designed to support up to 2GB\*\* of double-data-rate SDRAM memory (DDR200 or DDR266)

Enables fast IDE interface for transfers to storage devices

Expansion slots for custom system configurations and future add-in card upgrades

Two dual-stack rear connectors and header for two front panel USB connectors

Plug-and-play technology designed to support integrated LAN, HPNA, modem or audio cards for overall system cost savings and flexibility

On-board 10/100 Mbps Ethernet LAN connectivity

Exceptional audio performance and excellent value

Power-management mode reduces PC power consumption and provides immediate PC access using advanced wake-up logic

Allows remote monitoring of system conditions for lower total cost of ownership

Expanded investment protection

# Intel® Desktop Boards D845GRG and D845GBV Technical Specifications

## Processor

**Processors Supported** Intel® Pentium® 4 processors in the mPGA478-pin package with Intel® NetBurst™ microarchitecture including a 533-MHz or 400-MHz system bus and Intel® Celeron® processors with 400-MHz system bus in the mPGA478-pin package.

**Intel® 845G Chipset** Intel® 82845G Graphics Memory Controller Hub (GMCH) with Accelerated Hub Architecture bus  
Intel® 82801DB I/O Controller Hub (ICH4) with Accelerated Hub Architecture bus  
Intel® 82802AB Firmware Hub (FWH)

**Memory Controller Hub (MCH)** Designed to support up to 2GB\*\* (w/512Mb technology) of DDR266 SDRAM memory

**Intel® ICH4 I/O Controller Hub** Ultra ATA/66/100  
Ultra DMA/33  
Six PCI request-grant pairs for support of six PCI bus masters

**I/O Features** Integrated super I/O LPC bus controller  
Six (Desktop Board D845GBV) or three (Desktop Board D845GRG) PCI local bus slots  
Communication and Networking Riser (CNR) (optional), shared with PCI slot  
Power management support for ACPI 1.0  
PC2001 compliance

**USB 2.0** Integrated Intel ICH4 controllers

- Four back panel ports (two dual stack)
- Two front panel ports (header requiring cable to front panel)

## Firmware Hub

**System BIOS** 4-Mb Flash EEPROM with Intel/AMI® BIOS featuring plug-and-play, IDE drive auto-configure  
Advanced configuration and power interface V1.0b, DMI 2.0, multilingual support

**Intel® Rapid BIOS Boot** Optimized POST for faster access to PC from power-on

## System Memory

**Memory Capacity** Two 184-pin DIMM connectors supporting up to two double-sided DIMMS

**Memory Type** Double Data Rate (DDR) PC266 or PC200 SDRAM

**Memory Voltage** 2.5V

## Hardware Management Features

Voltage and temperature sense  
Fan-sensor inputs used to monitor fan activity

## Wake-Up From Network

Wired for Management (WfM) 2.0 compatible  
Support for system wake up using an add-in network interface card with remote wake-up capability

## Expansion Capabilities

Three (Desktop Board D845GRG) or six (Desktop Board D845GBV) PCI bus add-in card connectors

Optional Communication and Networking Riser (CNR) connector shared with PCI slot 3 (Desktop Board D845GRG) or PCI slot 6 (Desktop Board D845GBV)

One 1.5V 4X AGP connector

## Jumpers and Front Panel Connectors

**Jumpers** Single configuration jumper design  
Jumper access for BIOS configuration mode

**Front Panel Connector** Reset, HD LED, Power LEDs, power on/off, standby header

## Mechanical

**Board Style** Desktop Board D845GRG—uATX 1.0 compliant board size

Desktop Board D845GBV—ATX 2.03 compliant board size

**Board Size** Desktop Board D845GRG—9.6" x 8.2"

Desktop Board D845GBV—12.0" x 8.2"

## Baseboard Power

**Requirements** Desktop Board D845GRG—ATX12V or SFX12V  
Desktop Board D845GBV—ATX12V

## Environment

**Operating Temperature** 0° C to +55° C

**Storage Temperature** -40° C to +70° C

## Regulations

**Safety Regulations**  
U.S. and Canada UL 1950—CSA 950-95  
U.S. and Canadian recognition component marks  
Europe UL classified to IEC 950

## EMI/RFI regulations: *Intended for use in systems meeting the following*

**EMI/RFI regulations:**  
US FCC Class B (DofC—Cover off testing)  
Canada IC Class B  
Europe EU Class B (Res, Com, Light Industry)  
Japan VCCI, Class B (ITE)

Power requirements vary. Complies with US CRF via EN55022 + 6db in system configurations with an open chassis and EU Directive 89/336/EEC and use via EN55022 and EN50082-1 in a representative chassis.

**Ordering Information—See Intel's Web site at [www.intel.com](http://www.intel.com)**

**For the most current product information available, visit Intel's Web site at:**

**[program.intel.com](http://program.intel.com) or [developer.intel.com/design/motherbd/](http://developer.intel.com/design/motherbd/)**

Information in this document is provided in connection with Intel® products. No license, express or implied, by estoppel or otherwise, to any intellectual property rights is granted by this document. Except as provided in Intel's Terms and Conditions of Sale for such products, Intel assumes no liability whatsoever, and Intel disclaims any express or implied warranty, relating to sale and/or use of Intel products including liability or warranties relating to fitness for a particular purpose, merchantability, or infringement of any patent, copyright or other intellectual property right. Intel products are not intended for use in medical, life saving, or life sustaining applications. Intel may make changes to specifications and product descriptions at any time, without notice.

All products, dates, and figures specified are preliminary based on current expectations, provided for planning purposes only, and are subject to change without notice. Availability in different channels may vary.

The Intel® Desktop Boards D845GRG and D845GBV may contain design defects or errors known as errata, which may cause the product to deviate from published specifications. Current characterized errata are available on request.

Intel, Pentium, Intel NetBurst, and the Intel logo are trademarks or registered trademarks of Intel Corporation or its subsidiaries in the United States and other countries.

\* Other names and brands may be claimed as the property of others.

\*\* Designed to support up to 2GB DDR266 SDRAM memory using 512Mb technology. Currently validated to 1GB using 256Mb technology.

Visit <http://developer.intel.com/support/motherboards/desktop/> for latest validated memory support.

\*\*\* Not supported on all operating systems. See product guide for details.

